

Covert Video

1 Covert Video Items

Transmitter/Receiver Sets

2 PVTs/Monitor/Receiver
2 2.4GHz Pocket Video Transmitter Set

Cameras

3 Color Encased Camera with Cone Pinhole Lens
3 B/W Encased Camera with Cone Pinhole Lens
3 Miniature CCD Bullet Camera
4 Color Board Pinhole Camera
4 Black and White Board Pinhole Camera
4 Dome Camera

VCR's and DVR's

5 Motion Activated VCR
5 Mini Video Card Recorder
6 Digital Video Recorders
6 80 Gig Hard Drive for Digital Video Recorders
6 Smart Guard Digital Surveillance System
7 Miniature DVR
7 1280-Hour Time Lapse Recorder

Tracking Systems

8 Real-Time GPS Vehicle Tracking System
8 Vehicle GPS Logging System

Camera Sets

9 2.4GHz Wireless Color Camera Set
9 1.2GHz Wireless CMOS Color Camera Set
10 Spy Eye Miniature CMOS Color Camera
10 Spy Eye Miniature CMOS Black and White Camera
10 Screw Lens and Button Lens Camera Sets
11 TFT Wireless Color Camera Observation System
11 Color CMOS Button Camera
12 Ultra Miniature Camera Sets
12 Weather-Proof IR Camera Sets
13 Wireless Color Pencam
13 Wireless Cell Phone CCD Camera
14 Cyber-Eye Mobile Cam
14 CyberEye Image Camera

Digital/Analog Recorders and Accessories

15 Long Play Digital Recorders (22 hour to 90 hour)
15 64 Hour Digital Voice Recorder
16 10 Hour Digital Recorder
16 36 Hour Digital Recorder
17 Pen Activated Recorder
17 Deluxe 5-Hour Telephone Recorder
18 8-Hour Telephone Recorder
18 Micro Telephone Recorder
19 Microcassette Recorder with Cellular Phone Interface
19 5-Hour Telephone Recorder
20 6-Hour Micro Telephone Recorder
20 Dialed Number Recorder with Caller ID
21 62-Hour Rechargeable Power Pack for Digital Recorders
21 Telephone Recording Interface
21 Telephone Cord and Line Splitter
21 Hand Set Adaptors for Recorders

Video Accessories

22 Everlasting Rechargeable Power Pack
22 Shielded Power Video Cable
22 RCA Cable
22 9 Hour VHS Tape
23 TFT-LCD Monitors
23 Quad Processor

Detection Devices

24 Personal RF Detector
24 Analog and Digital RF Detector and Frequency Counter
25 Mini Hidden Camera Detector
25 High Frequency Detector
26 Wireless Camera and Cellular Phone Detector
26 RF Signal Detector
26 Pen RF Detector
27 Countersurveillance Probe/Monitor
27 Vibrating Detector
28 Tape Recorder and RF Transmitter Detector
28 Mini Bug Detector
28 Hard Wired Video Camera Detector

Phone Security

29 Phone Manager Plus
29 COMSEC III Wire Tap Detector
29 Safe Line Telephone Analyzer & Tap Deactivator
30 Telephone Tap Nullifier
30 Tele-Data Guard
30 Wire Tap Detector

Listen and Voice Equipment

31 Wireless Microphone Set
31 Surface Mic
32 Professional Voice Changer
32 Super Ear
32 Audio Jammer
33 Voice Changer II
33 Novelty Portable Voice Changer
33 Cell Phone Voice Changer
33 Tie Clip Microphone
34 Detect Ear
34 Bionic Ear and Booster Set
34 The Pretender

Personal Protection and Accessories

35 Saliva Multi-Drug Screen Test
35 Detect Now Home Drug Test Kits
36 Ultraviolet Spy Light Set
36 Check Mate Semen Detection Kit
36 Spy Sunglasses
37 Pistol Air Taser
37 Pistol Air Taser Laser Sight
37 Automatic Calling Alarm System
38 Hand-Held Personal Metal Detector
38 Mono Scope
38 Pen Scope
38 Black Carrying Case

Covert Video Equipment

We build wireless 2.4 Ghz covert video and hardwire covert video.

Below are a few examples of the most frequently requested products. Feel free to call us with your ideas. Available with color camera, **VM32C-P37C**, or black and white camera, **VM32B-P37S**. See page 4 for camera specifications. Make and model will vary according to availability.




**Large Wall Clock
C1300**



**Alarm Clock
C1231**



**Cube Alarm Clock
C1230**



**Book
BKCAM2**



**Oak Mantel Clock
C1300M**



**Air Purifier
C4000**



**Boom Box
C2200**



**Plant
C2000**



**Emergency Light
EL300**



**Teddy Bear
TB300**



**Exit Sign
EX300**



**Purse
C1700**



**Speaker
SP300**



**Pager
PA-VC**



**Computer Speakers
C2600**



**VCR
C1260**



**Side View
Smoke Detector
C13641**



**Bottom View
Smoke Detector
C3000**



**Side OR Bottom View
Smoke Detector
only black and white
C3100**



**Motion Sensor
Functional or
Non-functional
C1200 or C1310**



PVTS/MONITOR/RECEIVER

Receive and view video with our PVTS/Monitor/Receiver. This set will convert hardwired cameras to wireless. The output is color or black and white depending on the camera.

Specifications:

- B/W 5.5" monitor/receiver
- Pocket size transmitter converts any hardwired camera to wireless
- 4 channel, 2.4 GHz 500 ft LOS

Includes:

- 4-Channel 2.4 GHz wireless transmitter
- Monitor/Receiver
- 12-volt battery clip for transmitter
- Y-adaptor power cable from battery clip for transmitter
- RCA audio/video cable
- Power supply for monitor

Size:

- 5.75" x 7.75" x 7.5"

Model: PVTSM



2.4GHz Pocket Video Transmitter Set

Our 2.4GHz Pocket Video Transmitter features 4-channel operation and is designed for body-worn applications. This pocket video transmitter set converts any wired camera (not included) to wireless for covert operations.

Specifications:

- 4-channel operation
- Auto-switch capable receiver
- Up to 300 feet LOS

Includes:

- AC Adaptor
- Video Cable
- Receiver
- Battery pack

Size:

- 3" x 2.38" x 1"

Model: PVTS-2





Color Encased Camera with Cone Pinhole Lens

This high quality miniature camera combines simplicity, versatility and high performance into a package slightly larger than a quarter. Our mini camera offers the kind of performance that is usually found only in a larger camera.

Specifications:

- 92° field of view
- 3.6mm lens. **Ask about different lens options.**
- CCD area image sensor
- 420-line resolution
- .1 LUX illumination
- Adjustable focus

Includes:

- Mounting bracket
- 24" power video pigtail

Options:

- RCA Cables
- 12V regulated power adapter (Model A1055)
- Rechargeable Battery Pack (Model A1046)

Size:

- 1 3/16" x 1 3/16" x 5/8"

Model: C1131

B/W Encased Camera with Cone Pinhole Lens

Black and White version with .05 LUX. **Ask about different lens options.**

Size:

- 1" x 1" x 3/4"

Model: C1130



Miniature CCD Bullet Camera

The ultra small size of our CCD Bullet Camera makes it an ideal choice for outdoor use as well as home and business security. This CCD Bullet Camera produces quality images with no blooming and no burning.

Specifications:

- 92° field of view
- 3.6mm lens. **Ask about different lens sizes available.**
- Weatherproof standard lens
- Built-in electronic auto iris
- 380-line high resolution
- Low light sensitivity of .01 LUX

Includes:

- Swivel mounting bracket
- 24" power video pigtail

Options:

- 12V regulated power adapter (Model A1055)

Color

Size:

- 4" x 1 1/4" x 1 1/4"

Model: C13753C

Black and White

Ask about different lens sizes available.

Size:

- 2 1/2" x 3/4" x 3/4"

Model: C13753

Color Board Pinhole Camera

Our Board Pinhole Cameras take innovative quality to the next level in covert camera technology. These miniature cameras can be hidden in almost any object and produce high quality picture performance.

Specifications:

- 92° field of view
- 3.6mm lens
- 1/3" DSP Color CCD image sensor
- 380-Line resolution
- 0.5 LUX minimum illumination
- Internal synchronizing system
- 2:1 interlaced scanning system
- DC 12V power
- NTSC

Options:

- 12V regulated power adapter (Model A1055)

Size:

- 1 1/4" x 1 1/4" x 3/8"

Model: VM32C-P37C



Black and White Board Pinhole Camera

Specifications and options same as VM32C-P37C except for the following:

- 0.05 LUX minimum illumination
- 420-Line resolution

Size:

- 1 1/4" x 1 1/4" x 3/8"

Model: VM32B-P37S

Dome Camera

Economical fixed dome camera. This ultra affordable color or black and white camera is ideal for applications where you want standard, wide-angle monitoring. Installation of the dome is fast and simple with a single external connection plug and a power supply connection for a 12 volt regulated adapter.

Specifications:

- NTSC
- 4.3 mm fixed lens
- DC 12V
- Digital Sensor processing
- Sony 1/3" SS-11R hip set
- 0.1 Lux
- Auto iris lens
- 420 Lines of resolution

Options:

- 12V regulated power adapter (Model A1055)

Size:

- 4 1/2" x 3 1/4"

Color Model: C1143

Black and white Model: C1142





Motion Activated VCR

We use state of the art VMD technology to transform a typical VCR into a motion activated VCR. When motion is detected through the video signal, our Motion Activated VCR starts recording. If motion ceases for 2.5 minutes the VCR will go to stop mode. Make, model and style may vary depending upon availability.

Specifications:

- May be used with multi-channel video switchers or video multiplexer
- Filters out video noise to minimize false alarms and maximize correct detection
- Automatically adjusts to the video signal levels (from 0.5Vpp to 2.0pp)
- Includes complex image processing algorithm to minimize false alarms resulting in slow or fast changes in ambient light.

Includes:

- 9 hour VCR tape
- Remote control
- User manual

Size:

- 14 1/2" x 9 1/4" x 4 5/8"

Model: V1160



Mini Video Card Recorder

This small portable lightweight recorder can be body worn or easily fit into a shirt or coat pocket. It features 4 levels of video quality recording. Compact Flash (CF) or Secure Digital (SD) memory card, USB equipped computer (for download/upload application). Cards are NOT included.

Specifications:

- Video Record-MPEG4 file format(xxx.ASF)
- 4 Levels Video quality recording
- Economic quality mode can record 182 minutes in 512 MB memory card.
- Video Player: Play MPEG video (xxx.ASF)
- Photo Output: MPEG file
- MP3 Player: Play MP3 Audio files
- Video Interface: One RCA composite video input and one RCA composite video output
- Audio: L/R audio input/output
- Storage: CF and SD card (Cards not included)
- Power: DC 5V input
- USB2.0 interface

Includes:

- Mini VCR device
- Remote controller with battery
- 2 RCA to mini-plug cables
- USB cable
- AC power adapter
- Driver CD (for 98SE & ME, Win2k & XP not needed)
- Instruction manual

Options:

- Battery pack (Model A1044)

Size:

- 4 1/2" x 3 1/4" x 3/4"

Model: DVR1000

Digital Video Recorders

Our stand alone Digital Video Recorder features Internet viewing, easy plug and play configuration and has various recording modes including schedule, alarm and motion detection. It gives the user the ability to record and watch from any computer around the world without using a computer based DVR. Make, model and style may vary depending upon availability. Choose either 4-channel or 16-channel operation. **Hard drive sold separately.**

Specifications:

- Motion activated
- Remote viewing
- Includes overwrite capability
- Net workable with Ethernet card included
- 4 or 16 Channel video signal input 1.0-p, 75 ohm unbalanced (BNC type)
- 3 Output vbs output 1.0vp, 75 ohm unbalanced (BNC type)
- 480-Line horizontal resolution
- Split screen full, quad display monitoring method
- 720Hx480V Active pixel full screen quality
- 60 FPS Top record or play speed
- Compressed picture JPEG
- Real-Time, time-lapse and event recording modes
- Remote control
- DC 12V, 4A power
- 2 internal hard drive slots hold up to 120 mb each

4-Channel Digital Video Recorder

Size: 17" 17 3/8" x 3 1/2"

Model: DVR-4

16-Channel Digital Video Recorder

Size: 17" 17 3/8" x 3 1/2"

Model: DVR-16

80 Gig Hard Drive for Digital Video Recorders

Separate hard drive for DVR-4 and DVR-16

Size: 5 3/4" x 4" x 1"

Model: DVRHD80

Smart Guard Digital Surveillance System

This DVR Board is perfect and economical for the DIY customer! The Smart Guard turns most computers into a surveillance system. When properly installed on a computer it allows you to monitor and record up to 8 cameras and 1 web cam (2 boards required for 8 camera system) remotely or at your own computer. This system includes options such as Motion detection, programmable zones for each camera, PIP function, full view or four camera viewing, email alert, scheduled monitoring and overwrite function. See our CAMERAS section to create bundle systems. Note: purchaser Must register with MFG to receive Tech support.

Specifications:

- 4 RCA video inputs
- 1 TV/VCR out
- 30 total frames per second NTSC/ 25 for PAL
- Video compression, MPEG4
- Windows 98/ME/2000/XP
- Internet access required for Remote View


Includes:

- 4 camera Video card
- Software CD
- Quick installation guide

Size:

- 5" x 4" x 3/4"

Model: DVRSMT





Miniature DVR

Our digital video recorders come with a 20GB or 40GB hard drive. This recorder is perfect for body worn surveillance. Smaller than a “walkman” and weighing only 13 ounces, it includes a rechargeable battery for up to 4 hours recording time. Extra battery available.

Features:

- Rechargeable lithium 4-hour battery
- 3.5 TFT built in color monitor
- Input RCA for AV in
- Output RCA for AV out
- NTSC/PAL selectable
- MPEG 4
- Video size 320x240 pixels
- Time/Date stamp

Includes:

- Remote control
- AC Adapter
- RCA cables
- USB cables
- Earphone

Options:

- Battery (Model A1049)

Size:

- 5" x 3 1/4" x 1 1/4"

Model: DVRMINI

- with a 40 hour, 20 GB hard drive

Model: DVRMINI40

- with an 80 hour, 40 GB hard drive



1280-Hour Time Lapse Recorder with Digital Shuttle and 40-Hour Real Time Video

Our easy-to-use 1280-Hour Time Lapse Recorder offers reliability in an affordable price range. This recorder has the capability to record 40 hours of real time video and up to 1280 hours of time lapse video.

Specifications:

- Built-in time and date generator
- Event and alarm inputs
- 14 recording options
- Digital shuttle and reverse play
- Built-in rechargeable battery backup
- Record lock to prevent unauthorized operation
- Daily programmable timer
- Compatibility with observation systems

Includes:

- Remote Control

Size:

- 14 1/8" x 11 1/2" x 3 3/8"

Model: V1180

Real-Time GPS Vehicle Tracking System

From a personal computer, keep track of the real-time path of a vehicle with our GPS Vehicle Tracking System. This real-time global positioning system (GPS), which permits live tracking using a map on a personal computer, will leave no doubt of the location of employees, spouse, or critical cargo. Available with a fleet management option.

Specifications:

- True real-time tracking
- CDMA and PCS digital cellular
- Communication with any PC and modem
- 3700 position storage memory
- Adjustable capture rates of 1,2,3 or 5 minutes
- Software that maintains database on vehicle activity
- Internal motion detector for low power use
- Alarm input for panic and security
- Alarm output for remote control
- Uses 8 C batteries that last 7 to 10 days
- Quick installation with industrial magnetic mount

Includes:

- Vehicle Unit Transmitter with water resistant case
- Serial port cable
- Software package with U.S. maps on CD-ROM
- Cell Antenna and GPS Puck Antenna
- Battery Pack
- Direct connect for 12 volt

Options:

- Maps of Canada available at additional charge
- Route 66 mapping software

Size of Vehicle Unit:

- 6 1/2" x 4 1/2" x 2"

Model: GPS Digital



Vehicle GPS Logging System

When suspicions arise about the activity of a vehicle, make sure one of our Vehicle GPS Logging units goes along for the ride. This Vehicle Logging System can track a vehicle to the nearest address, tell how long the vehicle remained at any given destination, and provide details of suspicious activities.

Specifications:

- Includes flash memory
- Discreet water resistant case
- Motion detector start-up and shut down
- Quick installation with industrial magnetic mount
- Uses precision mapping of entire U.S.
- Vehicle location is saved every 10, 20, 30 or 60 seconds
- Downloads data to computer via serial port
- Custom mileage report
- Up to 18-day operation on internal AA batteries (included)

Includes:

- Mapping software on CD
- Serial cable
- GPS puck antenna

Options:

- Maps of Canada and Europe available at additional charge.

Size:

- 5 1/2" x 3 1/8" x 2 1/4"

Model: H4000





2.4 GHz Wireless Color Camera Set

Our professional 2.4 GHz wireless color camera set combines a high quality color CMOS camera with a small transmitter for outstanding performance in field operations. This set is available in 4 frequencies. FCC approved

Camera Specifications:

- One channel
- Transmission Power 10mW
- 300 feet approx LOS
- 4.5V AC adapter
- 250K (NTSC)
- 3 lux @ f 1.2
- 5.6mm / diagonal: 60 degrees lens

Camera Includes:

- 9 Volt battery clip (battery not included)
- Battery Pack (uses 4 AA batteries not included)
- AC adapter (for camera)

Camera Size:

- 3/4" x 1 1/4" x 3/4"

Receiver Specifications:

- 4 Channels 2.4 GHz
- 7.5V AC adapter

Receiver Includes:

- Video cable
- AC adapter (for receiver)
- Complete instructions

Receiver Size:

- 3" x 3" x 1"

Model ALM-2452



1.2GHz Wireless CMOS Color Camera Set

This 1.2GHz Wireless CMOS Color Camera Set allows even greater surveillance versatility and puts cutting edge spy camera technology at your fingertips.

Camera Specifications:

- 1.2GHz Frequency
- 8V DC
- 380-Line Resolution Ratio
- 1.5 LUX illumination

Receiver Specifications:

- 1.2 GHz Frequency
- 115x60.21mm Resolution Ratio
- 12V AC adapter

Camera Size:

- 7/8" x 7/8" x 1"

Includes:

- Power Adaptors for camera and receiver
- 9V battery clip
- 3.25Ft. Video Cable

Model: C1132

Spy Eye Miniature CMOS Color Camera

The versatile Spy Eye camera can be easily connected to a VCR or TV. The camera is ideal for many applications including monitoring sleeping babies, keeping an eye on a car or monitoring any area of a home. Because of its small size, the Spy Eye camera can also be hidden anywhere.

Specifications:

- 1/3" CMOS image device
- 380-Line resolution
- 1.5 LUX
- 52° field of view
- 9V DC 100mA power source

Includes:

- AC/DC power adaptor
- 9V battery adaptor CMOS only
- 33-Ft. Shielded power and video cable

Size:

- 1/2" x 1/2" x 1/2"

Model: C1129



Spy Eye Miniature CMOS Black and White Camera

Specifications same as Model C1129 except for the following:

- 320-Line resolution
- 0.05 LUX Minimum illumination

Size:

- 1/2" x 1/2" x 1/2"

Model: C1128

Black and White CCD Screw Lens and Button Lens Camera Sets

High quality miniature cameras combine simplicity, versatility, and superior performance into a package barely larger than a quarter. These are great for body-worn applications.

Specifications:

- 3.6mm lens
- 92° field of view
- Built in electronic iris
- CCD are image sensor
- 420-line resolution
- .05 LUX illumination
- Adjustable focus
- Low power consumption

Camera size:

- 1" x 1" x 3/4"

Button Lens Camera Set

Includes:

- Black and white encased camera
- A1046 12V rechargeable battery pack with adapter
- V4524 Button camera lens with 5 matching buttons

MODEL C1146

Screw Lens Camera Set

Includes:

- Black and white encased camera
- A1055 12V AC adapter
- 12V battery pack
- V4525 Screw camera lens with 5 matching screws

MODEL C1147





TFT Wireless Color Camera Observation System

This Wireless Color Observation System utilizes the latest technology and features a 5" TFT LCD color display with built-in 2.4GHz receiver. The wireless color camera is easy to set up and plugs into any standard AC outlet. Up to 4 cameras can be added to system.

Specifications:

- 1/4" color CCD camera with vari-focal lens
- 5" TFT LCD color monitor
- Built-in 2.4GHz wireless 4-channel receiver
- 330-line resolution
- NTSC and PAL system format
- One A/V input and output
- 2 LUX illumination
- FCC approved

Includes:

- AC/DC Adaptor for Camera/Transmitter
- AC/DC Adaptor for TFT/Monitor Receiver
- Swivel Mount
- Adjustable TFT mounting Bracket
- A/V Cable
- User Manual

Size:

- Camera: 1 1/4" x 3 1/4" x 1 1/8"
- Monitor: 6" x 4 5/8" x 1 3/4"

Model: TFT

Extra Camera for TFT System

Camera works only with TFT Observation System

Model: V1150

Color CMOS Button Camera

This tiny CMOS color hardwired button camera comes with a button face or screw face and a standard lens. This hard-wired camera is only 3/4 x 3/4 x 1/4 and can be easily concealed. Run times are 10 hours with the included battery pack (batteries not included) or 4 hours with the 9 volt battery clip.

Specifications:

- 1/3 color CMOS camera
- 3 LUX
- 5.0mm lens
- 69° field of view
- 5 Volt

Includes:

- CMOS camera
- One each button-face, screw face and standard lens
- battery pack (10 hours run time)
- 9 volt battery clip (4 hours run time)
- 9 volt battery
- mounting kit with bracket

Size:

- Camera: 3/4" x 3/4" x 1/4"
- Battery pack: 2 1/2" x 2 1/2" x 3/4"

Model C2471



Ultra Miniature Camera Sets

Our Ultra Miniature Camera Sets makes covert surveillance a cinch with their ultra small size and simple installation. These sets are great for the DIY market, everything you need is in one box.

Specifications:

- 1/3" CCD area sensor image pick up
- 0.05 LUX minimum illumination
- 92° field of view
- 420-line resolution
- Built-in electronic auto iris for automatic light compensation
- Adjustable focus
- NTSC

Includes:

- 60-Ft. cable
- AC Adaptor
- Mounting bracket

Ultra Miniature Black and White Camera Set

Size:

- 1" x 1" x 3/4"

Model: C1136

Ultra Miniature Color Camera Set

Specifications same as C1136 with the addition of the following:

- Color CCD 1/4" Format
- Low illumination of .1 LUX
- High resolution of 380 lines

Size:

- 1 3/8" x 1 3/8" x 3/4"

Model: C1138



Weather-Proof IR Camera Sets

This compact Weather-Proof Black and White Camera is designed to perform in all types of adverse weather conditions. Get a crystal clear image up to 15 feet in total darkness.

Specifications:

- 92° field of view
- 1/3" CCD area sensor image pick-up
- .01 LUX minimum illumination
- 380-line resolution
- Built-in electronic auto iris
- Built-in back light compensation
- 11 LEDs
- NTSC

Includes:

- 60-Ft. cable
- AC Adaptor
- Mounting Bracket

Size:

- 3 1/8" x 2" x 2"

Model: C1140

Model: C1141

Color during daylight hours, black and white after dark. Other specifications same as C1140.





Wireless Color Pencam

This Wireless Color Pencam is perfect for undercover work and discreet surveillance. We have concealed a quality 4-channel color video camera inside a working pen that can be worn in a shirt pocket, placed in a desk organizer or wherever its presence would not be obvious.

Specifications:

- Ultra compact design
- 2.4GHz 4-channel wireless transmitter
- Up to 180-ft. line of site transmission range
- FCC compliant
- 64° field of view
- Minimal illumination required
- Simple operation with a click of the top of the pen
- Receiver connects to TV, VCR or security monitor

Includes:

- 3 LR 44 Battery Sets that last for up to 40 minutes
- AV Receiver
- 12V AC adaptor
- RCA video cable

Camera Size:

- 5 1/2" x 1/2" 1/2"

Receiver Size:

- 150x88x40mm

Model: V1025

Wireless Cell Phone CCD Camera

Our wireless cell phone camera blends perfectly to any covert situation today. This stylish Style Flip Style Phone features a wireless CCD color camera.

Specifications:

- Sony 1/4 DSP color CCD sensor camera
- 470 TV lines 32,000pixels, 0.5Lux, F1.2
- Built in 4.3mm pinhole lens
- Auto Electronic shutter (AES) and white balance
- 4 channel video transmitter and receiverPhase lock look (PLL) NTSC
- Transmitter range 150 feet
- Power lasting time for at least 120 to 150 minutes

Includes:

- Cellular Phone Camera
- Standard high capacity rechargeable battery
- Original rechargeable adapter
- Receiver

Size:

- 3 1/4" x 2 3/4" x 1"

Model: C1127



Cyber-Eye Mobile Cam

Protect your vehicle or fleet with our CyberEye Mobil Cam. The Mobil Cam can be activated by remote control or emergency switch. It can also be automatically activated with its motion sensor. Use this camera to create still photo documentation of vandalism, theft, and altercations.

Specifications:

- Able to take and store up to 680 digital images
- View playback on home TV and monitors
- Record images on any VCR
- Displays date and time
- Able to capture images at night or in very low light
- Easy to adjust and install
- Plugs into cigarette lighter

Includes:

- Cigarette lighter
- Foot pedal

Size:

- 4 3/4" x 2 1/8" x 7/8"

Model: IC100M



CyberEye Image Camera

Our CyberEye Image Camera is the perfect digital camera security system for surveillance of homes, stores, banks, offices or anywhere that risks intrusion. The CyberEye features infrared technology that can capture images at night.

Specifications:

- Holds 680 images
- 1/4" CMOS B/W image sensor
- 0.5 LUX minimum illumination
- 8mm lens
- Pictures can be transferred to VHS tape
- Infrared capability
- 9V300mA power supply
- Year/month/day/hour/minute time display
- TV/Monitor image checking
- Remote control with emergency button

Includes:

- AC adaptor
- Video cable
- Mounting screws and anchors

Size:

- 3" x 2 1/4" x 3"

Model: IC-100A





Long Play Digital Recorder

Attach our Long Play Digital Recorder to telephones and cellular phones to covertly gather information. This versatile recorder can be used in many covert applications or as a dictation machine. All models include MP3 capability.

Specifications:

- USB interface
- Hidden high quality microphone
- Time display on LCD
- Voice activated recording systems to prevent unnecessary recording
- Key hold function prevents accidental operation
- Remain function shows remaining time
- Auto off
- Search play functions
- Monitor functions

Includes:

- Line-in/out cable
- Earphone
- 2 AA batteries
- Hand strap
- USB cable
- Telephone Adaptor
- External microphone
- AC Adaptor
- Cellular interface
- Software

Size

- 4" x 1/2" x 1/2"

22-Hour 64MB

Model: DR-22

45-Hour 128MB

Model: DR-45

With Optional FM Radio

Model: DR-45FM

90-Hour 256MB

Model: DR-90

With Optional FM Radio

Model: DR-90FM



64 Hour Digital Voice Recorder

This voice activated recorder features extra long recording time and stores up to 495 messages. It also features Text to Speech Software and an external memory card slot for expansion. With variable playback speed, time and date stamp and variable microphone sensitivity, our 64 Hour Digital Voice Recorder is the choice for uninterrupted recording.

Includes:

- 128MB Digital Voice Recorder with MMC/SD slot
- 2 AAA batteries
- AC Adapter
- Earphone
- Cell Phone Adapter
- Telephone Connectors
- USB connector cord
- External Microphone
- CD

Size:

- 4 1/2" x 1 5/8" x 3/4"

Model: DR-64

It is the user's responsibility to insure that conversations are only recorded in accordance with the law of the jurisdiction where the equipment is utilized.

10 Hour Digital Recorder

The small size of our 10-Hour Digital Recorder makes it an ideal choice for covert audio information gathering.

Specifications:

- Flash memory recording system
- Up to 396 messages with 4 separate files
- 562-minute recording time in LP and 258 minutes in SP
- Jog search function
- Built-in microphone, external microphone and line-in
- -45dB microphone sensitivity
- Key hold function that prevents accidental operation
- Automatic Recording System (ARS) that prevents unnecessary recording
- Message back-up to PC
- Simple connection to phone
- Low battery indicator

Includes:

- Line-in/out cable
- Telephone adaptor
- Earphone
- External Microphone
- 2 AA batteries
- Software
- Hand strap
- Cellular interface (not compatible with all cell phones)

Size:

- 4 3/16" x 1 3/16" x 3/4"

Model: DR-10



36 Hour Digital Recorder

High quality voice recorder at an affordable price has a USB interface for PC connectivity. It features 4 separate files with one additional file you can lock to prevent accidental file erasing. Telephone and cellular phone recording, Voice Activation, Internal and external microphone. This ultra slim size is great for covert operations.

Specifications:

- Schedule recordings functions
- File movement ability to move files one to another
- Alarm function
- Voice Activated recording
- 64MB hard drive
- USB connectivity
- E-mail Voice files
- Power by USB Port

Includes:

- Voice Recorder
- Microphone
- USB cable
- Ear Phone
- Telephone/Cellular Phone interface
- 2 AAA Batteries
- Mini CD Rom Application
- Complete instructions
- Lanyard

Size:

- 4" x 1" x 1/2"

Model: DR-36



It is the user's responsibility to insure that conversations are only recorded in accordance with the law of the jurisdiction where the equipment is utilized.



Pen Activated Recorder

The perfect recorder in an inconspicuous manner. The Pen Recorder automatically begins recording when you remove the pen and stops upon replacement. An ultra-sensitive microphone allows recording from the inside pocket of your jacket. Two-speed technology produces 3 hours of recording per 90-minute cassette. Voice control eliminates silent periods.

Features:

- Pen activation
- Compact size
- Voice controlled recording
- Two-speed recording
- External microphone jack
- External headphone jack
- Tape Counter

Specifications:

- Tape speeds of 1.2 sec., 2.4 cm/sec.
- 3VDC power
- Uses 2 AA batteries (not included)

Size:

- 6" x 3" x 1"

Model: P5046



Deluxe 5-Hour Telephone Recorder

The P5090 features caller ID name and number as well as time and date are displayed on a built in LCD. Information is also stored on the cassette ensuring recordings are always as organized as they are accurate. Slow speed permits over 5 hours of recording on a standard C-120 cassette. Choose from four record modes: line activated, voice controlled, timed or manual. Capable of recording both inbound and/or outbound conversations.

Features:

- Easy to install
- Caller ID with name
- Works on multi-line phones
- Auto level control LCD display
- Stores time, date, incoming and outgoing number
- Over 5 hours recording time
- Voice activated

Specifications:

- Tape speeds of 4.8 cm/sec., for 5 recording hours, to 1.7 cm/sec., for 2 recording hours
- 6V DC power
- Uses 4 AA alkaline batteries (not included)

Size:

- 8 3/4" x 5 3/8" x 2 1/4"

Model: P5090

It is the user's responsibility to insure that conversations are only recorded in accordance with the law of the jurisdiction where the equipment is utilized.

8-Hour Telephone Recorder

Over 8 hours of telephone conversation can be captured on a standard C-120 cassette with the same crystal clear clarity offered on five-hour models. Compatible with single and multi line phone systems, the P5085 is a perfect fit in any office or home. Equipped with an automatic level controller. It's able to compensate for bad connections.

Features:

- Two speed recording
- Easy connection
- Multi line capacity
- Auto level control
- Voice activation
- Monitor while recording
- 8 hours recording time

Specifications:

- Tape speeds of 4.8 sec., 1.2 cm/sec.
- 6VDC power
- Uses 4 AA batteries (not included)

Size:

- 8 5/8" x 5 3/8" x 2 1/4"

Model: P5085



Micro Telephone Recorder

The Micro Telephone Recorder captures both sides of your telephone conversation with clarity. A built in telephone interface eliminates cumbersome external boxes. Voice activation starts recording when the phone is in use and stops when the call is completed, also eliminating silent periods. Two-speed circuitry produces 3 hours of recording time per 90-minute standard micro-cassette.

Features:

- One step connection
- Built in telephone interface
- Voice activated recording
- Two-speed record and playback
- Built in microphone
- Tape counter
- Fully portable

Specifications:

- Tape speeds of 1.2 cm/sec., 2.4 cm/sec.
- 3V DC power
- Uses 2AA batteries (not included)

Size:

- 4 7/8" x 2 3/8" x 1"

Model: P5045





Microcassette Recorder with Cellular Phone Interface

This Microcassette Recorder features a universal cellular interface so that cellular phone conversations can be easily recorded as well as conventional telephone conversations.

Specifications:

- mobile phone recording
- Built-in microphone for memo tape recording
- Normal and slow tape speeds
- Call monitor feature
- Speaker volume control
- Auto stop
- Pause function
- 2 AA battery operation, batteries not included
- 3V DC Adaptor Jack
- Voice activated

Includes:

- Cellular Adaptor
- Hand-free ear rest
- T-adaptor
- Blank MC-60 tape

Size:

- 5" x 2 5/8" x 1"

Model: P5040



5-Hour Telephone Recorder

Get high quality recordings with our 5-Hour Telephone Recorder. This recorder features easy-to-use plug and play operation.

Specifications:

- Speed control for extending tape recoding time from 60 to 120 minutes
- Voice activated recording
- Sensitive line mode
- Auto level control
- Tape speeds of 4.8cm/second and 1.7cm/second
- Normal cassette player
- Monitor
- Built-in ear jack
- 6V DC power

Includes:

- A/C adaptor
- 4 AA batteries
- Phone cord
- Cassette tape

Size:

- 7 3/4" x 5 1/8" x 2"

Model: TR-600

It is the user's responsibility to insure that conversations are only recorded in accordance with the law of the jurisdiction where the equipment is utilized.

6-Hour Micro Telephone Recorder

Use our cutting edge 6-Hour Micro Telephone Recorder to record everything that was said in a phone conversation so that important information won't be forgotten. This versatile recorder can also be used for meeting, conference calls and as a transcriber. Comes with all the accessories needed to hook up to a telephone line.

Specifications:

- Up to 6 hours of recording time on a 90 minute micro cassette tape
- Voice activated
- Flexible interfacing for connection to a variety of single line phone systems
- Built-in microphone
- Extended recording mode
- Compact design for easy carrying

Includes:

- Duplex telephone adaptor
- Telephone connection cable
- Three standard microcassettes
- User guide
- Two AA batteries

Size:

- 4 3/4" x 2 1/2" x 1"

Model: RN405



Dialed Number Recorder with Caller ID

Our Dialed Number Recorder features 5-hour recording capability and Caller ID all in one system. This easy-to-use plug and play unit clearly records both sides of a telephone conversation and captures and displays all dialed telephone numbers.

Specifications:

- 2-Way conversation recorder
- Speed control for extending tape recording time by double duration
- Automatic recording for recording only when phone is in use
- Built-in 2-line LCD
- Built-in voice activation (VOX) that works with any kind of key phones or EKTS system
- Time and date for incoming and outgoing dialed numbers
- Works with standard telephone, EPABX or PBX that has 36V or 24V system
- Voice control mode eliminates silent intervals to maximize recording time
- New data indication
- Powered by 6V AC adapter or 4 AA batteries (included)

Includes:

- AC adaptor
- Cassette tape
- Handset adapter
- Phone cord

Size:

- 8 1/2" x 5 5/8" x 2 1/8"

Model: GT-TR



It is the user's responsibility to insure that conversations are only recorded in accordance with the law of the jurisdiction where the equipment is utilized.



62-Hour Rechargeable Power Pack for Digital Recorders

We have the solution for those who need more battery power, our new 62-Hour Rechargeable Power Pack. This power pack is designed specifically for Miniature Digital Recorder models DR-22, DR-45 and DR-90.

Specifications:

- 2 1/2 to 3-hour maximum charge time
- Rechargeable NiMH battery type

Size:

- 5 1/4" x 6/8" 6/8"

Model: A1048



Telephone Recording Interface

This Telephone Recording Interface makes any recorder into a telephone recording device. Adapts to single line or multi line telephones. It is compatible with all modular type telephones.


Specifications:

- For 3.5mm mic inputs
- Records both ends of a conversation
- Easy-to-use plug-in design
- Can be used with any mini, micro or "C" cassette recorder, or digital recorder with mic input

Size:

- 38" long x 3/4" x 1 1/4"

Model: TRX-20



Telephone Cord and Line Splitter

Converts any voice activated (VOX) recorder into a telephone recorder with line splitter. Connects directly into a wall jack. Use with V1125 to connect to handset for multi-line phones.

Size:

- 6 1/2 feet long

Model: CTRD



Hand Set Adaptors for Recorders

Convert any single line recorder into multi line recorder with our Hand Set Adaptors. This is a great accessory for our digital recorders.

Size:

- 6" long

Model: V1125

Everlasting Rechargeable Power Pack

Extend mission times with our Everlasting Nickel Metal Hydride Battery Packs. Each one includes a charger.

Specifications:

- Standard "M" connector that integrates with most cameras and wireless transmitters
- Coiled Connection Cable for versatility
- Nickel Metal Hydride (NiMH) technology that permits higher current draw
- Compact design

6-Volt Power Pack Model: A1044 (For item DVR1000)

Size: 2 7/8" x 2" x 3/4"

9-Volt Power Pack Model: A1045

Size: 4" x 2 1/4" x 3/4"

12-Volt Power Pack Model: A1046

Size: 4" x 2 3/4" x 3/4"



Shielded Power Video Cable

25Ft. Cable

Model: V1008



65Ft. Cable

Model: V1018

100Ft. Cable

Model: V1030

150Ft. Cable

Model: V1048

200Ft. Cable

Model: V1062

RCA Cable

25Ft. Cable

Model: 25FT



9 Hour VHS Tape

Size:

- 7 5/8" x 4 1/8" x 1"

Model: T-180





TFT3

TFT-LCD Color Monitors

Monitor the situation comfortably and easily with our TFT-LCD Monitor. Available in convenient 5.6-inch and handy 3-inch sizes, this TFT-LCD monitor provides high resolution viewing for a variety of security needs.

Features:

- High Resolution
- No Radiation
- DVD/VCD/ Security System/ Navigation System compatibility (TFT5.6 only)
- Built-in speaker (TFT3 only)

Includes:

- AV cable
- AC adaptor
- User's Manual

Model: TFT3

Size:

- 3 1/2" x 3 1/4" x 1 1/2"



TFT5.6

Model: TFT5.6

Size:

- 7 1/8" x 5 1/2" x 1 1/4"

Includes:

- Cigarette adapter
- Mount for headrest



Quad Processor

Our 4-Channel Quad Processor features a user friendly front panel design and accepts up to 4 camera inputs.

Specifications:

- Full quad display at real time refresh rate
- High resolution picture
- 2 video BNC outputs in full screen or quad screen
- Video signal loss detection
- Power consumption of 5W max
- 4 channel BNC input

Includes

- AC adapter

Size:

- 8 5/8" x 8 1/2" x 2"

Black and white Quad Processor

Model: C19003

Color Quad Processor

Model: QUADC



Personal RF Detector

Our pocket size Personal Radio Frequency Detector locates stuck transmitters or bugging devices in a room or automobile. This Personal RF Detector excels at silent detecting of RF signals for RF security and counter-surveillance applications.

Specifications:

- Internal NiCd battery pack
- 7-section telescopic antenna
- Vibration motor and earphone for private detection
- 5 section bar-graph to show relative RF signal strength
- Low power consumption
- 1MHz - 3GHz Frequency range
- Sensitivity adjustment
- 9V DC 300mA power

Includes:

- AC Wall Charger
- 2.4GHz antenna
- Earphone
- Telescopic antenna
- User Manual

Size:

- 3 3/4" x 2 3/4" x 1 1/4"

Model: DD2020



Analog and Digital RF Detector and Frequency Counter

Representing the next generation of radio frequency detection is our Smart RF Detector. This high quality unit features a 7 digit LCD, ultra sensitive synchronous detector and 16 section bar-graph to show RF signal strength.

Specifications:

- Detects digital and analog signals
- 16 section bar-graph to show RF signal strength
- 1 GHz range position for frequencies 30MHz to 0.8GHz
- 2.8GHz range position for frequencies 500MHz to 2.8GHz
- Sensitivity adjustment
- Hold switch to lock the display
- Low battery indicator
- Sensitivity of less than 5mV
- 15 dBm maximum input
- 9V DC 300mA rechargeable battery power

Includes:

- AC Wall Charger
- 2.4GHz antenna
- Telescopic antenna
- User Manual

Size:

- 3 3/4" x 2 3/4" x 1 1/4"

Model: SC1





Mini Hidden Camera Detector

Our business card size Mini Hidden Camera Detector is specially made for detecting hidden cameras and is insensitive to cellular phone signals. In addition, it can detect micro wave signals up to 2.4 Ghz up to 10 feet. The Mini Hidden Camera Detector is easy to use with no complicated installation or professional knowledge.

Specifications:

- 3V DC power (uses one AAA battery, included)
- 60 Mhz to 3.0 Ghz detecting frequency
- 2 warning modes: audible signal and vibration
- LED warning light

Size:

- 3 1/2" x 2" 1/2"

Model: SH-005V



High Frequency RF Detector

Protect privacy and confidential information with our High Frequency RF Detector. This device features a detecting frequency up to 6Ghz and comes with an Analog/Digital detection switch. The digital feature detects Bluetooth, WLAN, Wi-Fi, cellular phone and Digital Spread Spectrum wireless products. Specially designed for easy and simple use with no complex installation or professional knowledge required.

Features:

- Digital / analog switch for signal selection
- 3 LED indicators to determine signal strength
- Audible alarm with tonal change indicates signal strength
- Vibration warning mode
- User can use earphones for convenient monitoring of audible alarm
- Sensitivity tuner

Specifications:

- 3V DC power (uses two AAA batteries, included)
- 50 Mhz to 6.0 Ghz
- Detects wireless cameras at 5.8 Ghz from approximately 2 feet and 2.4 Ghz from approximately 5 feet
- Detects analog cell phone signals from approximately 20 feet and digital signals from approximately 40 feet

Includes

- Earpiece
- Pocket clip

Size:

- 3 1/2" x 2 1/4" x 1"

Model: SH-055DV

Wireless Camera and Cellular Phone Detector

This Wireless Camera and Cellular Phone Detector is designed for user friendly operation in detecting all hidden cameras. The compact size makes it easy to conceal and carry to protect privacy and information.

Specifications:

- Detects wireless cameras up to 10 feet
- Detects cellular phones up to 4 feet
- 6V DC power (uses two CR2032 lithium batteries, included)
- 50MHz to 3.0GHz detecting frequency
- Sound and LED warnings

Size:

- 3 1/8" x 1 1/8" x 5/8"

Model: SH-005



RF Signal Detector

Our pager size RF Detector is designed for general use in detecting hidden cameras and wireless tapping devices on telephones. This RF Detector protects privacy within desired control areas. Three LEDs warn the presence of hidden cameras or wireless taps and an audible alarm will change from slow to rapid indicating the strength of detected signal.

Specifications:

- Detects wireless cameras up to 10 feet
- Detects cellular phones up to 20 feet
- 3 warning modes: 1 Sound & 3 LEDs; 2 Vibration & 3 LEDs; 3 Silent 3LEDs & earphone output
- 50MHz to 3.0GHz detecting frequency
- 3V DC power (uses two AAA, included)

Includes

- Earpiece
- Pocket clip

Size:

- 3 1/4" x 2 1/8" x 1"

Model: SH-055



Pen RF Detector

This wireless RF Detector pen can protect you from hidden cameras and wire taps. Push button design only when detection is needed will save valuable battery life and prevent interference of mobile phone signals. The flashing frequency will increase while approaching the RF signals. The tip can also be used for PDA's.

Specifications:

- Detectable distance up to 10 feet
- 500MHz to 3GHz detectable frequency
- Red LED flash
- PDA stylus for touch screen devices
- Functioning ball point pen
- Powered by 2 3V DC, LR44 button cell batteries, included

Size:

- 5 1/2" x 1/2" x 1/2"

Model: SK880





Countersurveillance Probe/Monitor

Detect and locate major types of electronic surveillance devices such as room, and body bugs, responds to RF transmitters, magnetic recorders, carrier current transmitters, infrared transmitters, acoustic leakage.

Features:

- Portable Sweep Kit - provides everything needed to perform a professional sweep; fits inside a standard briefcase.
- Multi-Functional Utility - Comes with probes to detect RF transmitters (audio and video), carrier current transmitters, and telephone bugs. Probes also available to detect for infrared transmitters, tape recorders, and acoustic leakage.
- Wideband Coverage - from 200Hz to over 3GHz with no holes or gaps.
- Monitor Mode - after a sweep, the alarm monitor (silent or audible alert) guards against new devices brought in or remote control activation of surveillance devices.
- Auxiliary Audio Input - allows user to listen to telephones or lines for "hotmikes," hookswitch by-pass and "infinity" bugs. Unknown wires and cables can be tested for wired microphones.

Specifications:

- Uses 8 batteries MN1500 AA Alkaline - Life 10-16 hrs
- Low Battery Indicator: approx. 10% remaining power
- Input: 95-130VAC 50-60Hz, or 200-275VAC 50-60Hz
- Output: 12VDC with 500mA NiCad Recharge Time: 8-10 hrs

Size:

- 9 1/8" x 6 1/8" x 1 3/4"

Model: CPM700

Advanced Counter Surveillance Probe/Monitor

Includes all probes

Model: CPM700Advanced

Vibrating Detector

Our Vibrating Detector gently vibrates to alert the user of the presence of hidden transmitters. This device can be used as a sweep unit or body worn counter surveillance device.

Specifications:

- LED alert
- Vibrator alert
- 20MHz to 2.4GHz frequency detection range
- 980MHz bandwidth
- Detection ranges from 6-ft. minimum to 50-ft. maximum based on transmitter power
- 20 milliwatts minimum detection power
- Adjustable to environment
- Simple operation
- 9V battery power (not included)

Includes:

- Leather carrying case

Size:

- 4 1/2" x 2 3/8" x 1 1/8"

Model: VPD-10



Tape Recorder and RF Transmitter Detector

This versatile Tape Recorder and RF Transmitter Detector was engineered to protect information by “silently vibrating” in the presence of a tape recorder or radio frequency bugging device. The unit is designed to be worn on the body and operated in the silent vibrator mode for covert applications.

Specifications:

- Detects and identifies analog tape recorders and bugs
- “Super Sensitive” pocket size integrated circuit design
- Dual mode wand antenna
- LEDs for both detection circuits with on/off for night use
- Silent vibrator alert with on/off
- Manual reset for LEDs with auto level control
- Low battery LED indicator
- Self-contained rechargeable battery pack

Size:

- 3 5/8" x 2 1/4" x 7/8"

Model: TRD800



Mini Bug Detector

The Mini Bug Detector™ detects and pinpoints the location of wireless microphones and transmitters by using an LED display and an optional audio alarm. Secure your home, office or hotel room. Sensitivity adjustment eliminates false alarms. The Mini Bug Detector™ features wide range circuitry to detect concealed transmitters operating on frequencies from 50MHz to 3GHz.

Specifications:

- Sensitivity adjustment
- 50MHz to 3 GHz frequency range
- On/Off switch
- 10 LED bar display
- Audio Alarm
- Uses 9V battery (not included)

Size:

- 6 7/8" x 3 1/8" x 1"

Model: P7050S



Hard Wired Video Camera Detector

Finding those tiny hidden video cameras just got easier with our Hard Wired Video Camera Detector. This detector features a sensitive external antenna and 5-step solid state meter to zero in on those hidden hard wired video cameras. This device can detect any hard wired or wireless camera but does not detect transmitters or receivers.

Specifications:

- Picks up 15.75 KHz horizontal oscillator frequency radiated by video cameras
- Detection range up to 1 foot
- 5-Step LED meter
- Sensitivity control

Includes:

- Two 9V batteries
- Plug-in antenna
- Illustrated instructions

Size:

- 4 3/8" x 2 5/16" x 2"

Model: J1020





Phone Manager Plus

Our Phone Manager Plus features an easy-to-use design that records data on up to 2000 incoming and outgoing telephone calls.

Specifications:

- Identifies the source of incoming calls by displaying the number of the call
- Identifies the source of outgoing calls by displaying the number of the call
- Small convenient size
- Monitors calls on any analog line
- Low power consumption
- Large memory capacity
- New call indicator light
- Requires 3 AA batteries (included)
- Telephone cord (included)

Size:

- 3 3/4" x 3 1/4" x 1 3/4"

Model: V1170



COMSEC III Wire Tap Detector

Our COMSEC III is the only patented technology that works with the telephone company exchange. Once the COMSEC III is attached to your telephone line it continuously detects the slightest signal from your phone to the telephone company. The COMSEC III scans the line before, during and after every telephone call, when the electrical signature pattern changes the LED will flash.

Specifications:

- FCC approved
- Single or 2-line use
- Continuous monitoring on phone line
- L.E.D. Flashing signal
- Hard shell black casing
- Telephone line powered, no batteries needed

Includes:

- Wire tap detector with LED
- Phone line cord to attach detector to phone
- Complete instructions

Size:

- 4 1/2" x 1 7/8" x 1"

Model: C3I-II



Safe Line Telephone Analyzer & Tap Deactivator

The SL-100 offers six levels of protection against eavesdropping attempts, more than any other device of its kind. Whether you are on or off the phone, line voltages are constantly monitored and displayed, alerting you to almost any type of bugging device on your line. In addition, taps are neutralized or deactivated for the highest level of privacy protection. Even voice activated systems are rendered useless by the SL-100 Anti-VOX System.

Specifications:

- Digital Display to reflect line voltage changes
- Automatically deactivates most wire-tapping devices
- Combats crystal line transmitters by shifting their frequencies
- Tricks voltage sensing recorders
- Anti-VOX System fills voice activated recording systems with simulated noise
- Instant alert to extension eavesdroppers
- Fully line powered; requires no batteries or AC adapter
- Easy installation
- Comes in a hard shell black case

Size:

- 4 7/8" x 3 5/8" x 1 1/8"

Model: SL-100

Telephone Tap Nullifier

Our Telephone Tap Nullifier has the greatest ability to actually DEFEAT telephone taps! Also the Telephone Tap Nullifier utilizes technology that jams any listening devices which use the telephone line to listen to room conversations. This telephone tap nullifier is the ideal device to protect privacy and maintain the security of communication. For use on any telephone or Fax line anywhere.

Specifications:

- FCC Approved
- Made in USA
- "Normal" and "Secure" calling modes
- Monitors exact line voltage in on-hook or off-hook condition
- Stops automatic recorder activators
- Alerts to extension pick-ups and lineman tests
- Deactivates automatic parallel line transmitters
- Infinity transmitter and line tampering alerts
- Fine tuning capability
- Sturdy Metal Case

Includes:

- AC adapter 12V with 500mA
- Telephone cord

Size:

- 5 3/8" x 5 3/8" x 1 1/2"

Model: TN-80



Tele-Data Guard

This new Tele-Data Guard keeps calls private. The Tele-Data Guard alerts the user if someone has picked up an extension, and when the Tele-Data Guard is installed on all extensions, the extension you pick up automatically disconnects the others.

Specifications:

- Green LED alert light
- Signals whether line is in use
- Protects faxes or modems from interruption
- No batteries required

Size:

- 2 1/2" x 1 7/8" x 1 1/4"

Model: TDG028



Wire Tap Detector

This Wire Tap Detector is an invaluable asset in protecting privacy. With the Wire Tap Detector, phone lines can be checked for on-premises series, parallel bugs, and wiretaps. Also, this detector can be used to check telephones for the most common types of hook switch bypasses, which are used to monitor room communication.

Specifications:

- Detects series devices with a resistance of 61 ohms or more
- Detects parallel devices with a resistance of 65 megohms or less

Includes:

- Alligator clip line tester
- Telephone line connector
- Battery
- Illustrated instruction manual

Size:

- 5 3/8" x 2 3/4" x 1 1/8"

Model: TT07





Wireless Microphone Set

When a sound transmission needs to be recorded, use our convenient plug and play Wireless Microphone Set with a recording device.

Transmitter Specifications:

- Transmitting frequency of F1: 171.105MHz-F2:171.905MHz
- FM band
- +/-2KHz maximum deviation
- DC 3V power
- Uses 2 AA batteries (not included)
- Power switch
- Channel selector switch
- LED-Power indicator

Receiver Specifications:

- Receiving frequency of F1: 171.105MHz-F2:171.905MHz
- Sensitivity of 10dB uV for 20dB S/N
- DC 3V power
- Uses 2 AA 3 batteries (not included)
- Power switch
- Channel selector switch
- LED-Power on

Transmitter Size:

- 3 1/4" x 2 1/2" x 1"

Receiver Size:

- 4" x 2 1/2" x 1"

Model: SWM-2



Surface Mic

Use our Surface Mic to listen for faint sounds through virtually any solid surface. The probe features a built-in contact element and has an internal automatic gain control that does not need constant adjustment. This microphone is designed to convert minute vibrations to voice band audio that can be received by headphones or secondary measurement equipment.

Specifications:

- Internal automatic gain control
- Built-in contact element
- Connects to any standard tape recorder
- Recorder output is compatible with audio spectrum analyzers
- Uses 9V battery (not included)

Includes:

- Earphones
- Carrying case
- Instruction manual

Size:

- 3 3/4" x 2 3/8" x 1"

Model: EAR-2000

Professional Voice Changer

The VC Pro Telephone voice changer is portable and compatible on all telephones. Simply attach the acoustic coupler to your telephone's handset, adjust the 16 settings by turning the selector clockwise. It has 0 being your normal voice, the high settings will increase the pitch and low settings will decrease the pitch.

Specifications:

- Professional grade voice changer
- Lightweight and compact
- Zippered black case
- Powered by a 9V battery, not included

Size:

- 6" x 2 7/8" x 1 1/4"

Model: VC-PRO



Super Ear

The Super Ear is a complete personal sound amplifier system that can be used indoors or out. This unit can be used for nature and bird watching, sporting events, concerts, lectures and meetings.

Specifications:

- Sound boom that swivels 180 degrees
- Protective foam wind-screen
- Can be mounted directly to binoculars
- Attaches to pocket or belt
- Compatible with tape recording devices

Includes:

- Binocular mounting clip
- Velcro strips
- Stainless steel pocket clip

Size:

- 6 3/4" x 1 3/4" x 7/8"

Model: SE-4000



Audio Jammer

Our Audio Jammer protects room conversations where sensitive information may be exchanged by generating a random masking sound which desensitizes any microphone that is near. This jammer is effective against any microphone based eavesdropping device including tape recorders, RF transmitters, hard-wired microphones and shotgun microphones.

Specifications:

- Protects up to 150 sq. ft. of space
- End-mounted control

Includes:

- 9V battery
- Illustrated instructions

Size:

- 4 1/2" x 2 1/2" x 1 1/2"

Model: J1000



Equipment is not to be used for the surreptitious interception of oral communications. All equipment is sold subject to public law, all State and Federal rules, regulations, etc.



Voice Changer II

The Voice Changer II features 8 different voice altering settings to choose from and has an easy one-step hookup to telephone handset.

Specifications:

- Built-in amplifier
- Compatible with most telephones including office systems
- Compact portable design
- 2 AA batteries (not included)

Size: 5 1/2" x 2 7/8" x 3/4"

Model: VC-II



Novelty Portable Voice Changer

This handheld phone voice changer is great fun for kids. It can alter your voice to eight different pitches. The degree of change can be adjusted as you are speaking. This is not a professional voice changer.

Specifications:

- 8-Point pitch adjustment
- Adjustment can be made while speaking
- Compact portable design
- 9V battery power (not included)

Size: 3 1/2" x 2 3/8" x 7/8"

Model: VC168



Cell Phone Voice Changer

Make calls without being recognized using our Cell Phone Voice Changer. Get the newest voice changer technology in a unit that can also be used as a hands-free head set for cellular phones.

Specifications:

- Compatible with most US mobile phones
- 4 Voice change options
- 30-Hour battery life in voice changer mode
- 3V CR1616 battery (included)
- 62dB microphone

Size: 46 3/8" long x 1" x 1/2"

Model: VC2000



Tie Clip Microphone

This Tie Clip Microphone is perfect for recording with a camcorder or voice recorder. The condenser microphone is sensitive enough to capture voices from across a room.

Specifications:

- 50 to 18,000 Hz frequency response
- Impedance of 1,000 OHMs at 1,000 Hz
- Sensitivity of -65dB(+/-3dB) at 1,000 Hz
- 1.35V Mercury battery power supply
- Omnidirectional polar pattern
- On/off switch
- Attached belt clip

Size:

- 2" x 1/2" x 1/2"

Model: TCM-1

Equipment is not to be used for the surreptitious interception of oral communications. All equipment is sold subject to public law, all State and Federal rules, regulations, etc.

Detect Ear

Listen to sounds up to 300 yards away with the pinpoint accuracy of the Detect Ear. The Detect Ear provides high performance with the most advanced audio circuitry and a 20" snap together parabolic dish.

Specifications:

- 6 Panel snap together parabolic dish
- Advanced electronic circuitry
- 3 Band equalizer
- Output jack for tape recording
- Communications input jack
- Can be mounted on tripod (not included)
- Uses 2 AAA batteries (not included)


Includes:

- Carrying case

Size:

- 9" wide, 20" diameter

Model: DET EAR



Bionic Ear and Booster Set

Amplify faint or distant sounds with our Bionic Ear and Booster Set. Listen by pointing the unit in the direction of sounds up to 100 yards away. The set comes with a 12" parabolic dish and has a recorder output jack to record the sounds picked up by the Bionic Ear.

Specifications:

- Frequency response of 100-10KHz
- Gain amp cut off at 90dB
- Amplifies sounds by 40 dB
- Independent volume controls on headset
- Output jack to record sounds
- Line in jack impedance of 10V maximum
- -46dB Mic sensitivity
- 40-Hour battery life
- 9V battery (not included)

Includes:

- Headphones

Size:

- 16" x 12" x 5"

Model: BIONIC EAR



The Pretender

The Pretender is your way out of difficult phone call situations. The unit offers four different sounds to get you off the hook fast. In addition, the Pretender is equipped with six different settings to distort your voice, helping to make it unrecognizable.

Features:


- 4 different sound effects
- 6 voice masking options
- Handset amplifier
- Battery Powered (2 AA, not included)
- Works with single or multi-line phones
- Direct telephone handset connection

Size:

- 7" x 3" x 1 1/2"

Model: P8970





Saliva Multi-Drug Screen Test

The Saliva Multi-Drug Screen Test checks for opiates, morphine (such as heroin), marijuana, cocaine, crack, methamphetamines and benzo. Our drug test eliminates the complications of urine testing and gives results in 15 minutes. This is the perfect test for parents worried about their teens, for employers to use for pre-employment testing or just from cause and reasonable suspicion situations.


Features:

- Laboratory Proven Results
- Quick, easy and affordable
- Easy to dispose
- FDA Approved

Size:

- Boxed size: 8 1/4" x 4 7/8" x 1 3/8"

Model: KT200



Detect Now Home Drug Test Kits

Our Detect Now test kits are easy to use, cost effective, easy to dispose of and are backed by laboratory proven results. Available for the suspicion of marijuana use or cocaine use.

Features:

- Simple spray provides an immediate drug test answer
- Can be performed on any surface that has come into contact with marijuana or cocaine
- Confidential non-invasive test kit works anytime, anyplace
- It is the same test kit used by law enforcement agencies across the country
- Very accurate, no lab work required
- Test with or without the knowledge of the person being tested.
- Contains more than 10 test per box
- Complete illustrated directions, FAQ, "What toDo" and resource list included

Size:

- Boxed size: 5 7/8" x 4 3/4" x 1 1/2"

For Marijuana

Model: KT201

For Cocaine

Model: KT202

Ultraviolet Spy Light Set

Our Ultraviolet Spy Light Set is a two-part system that consists of an ultraviolet (UV) ink pen and sub mini UV light. This system permits the user to write phone numbers, secret messages and mark cash that is unseen by others. The pen can also be used to mark skin with UV ink which will stay on the skin for up to 24 hours. The UV light can be used as a money detector.

Specifications:

- Sub-Compact design
- Uses 2 AA alkaline batteries (not included)

Model UVSL

Ultraviolet Pen Only

Model UVSL-1

Pocket Money Detector

Model: AB308

Check Mate Semen Detection Kit

Put an end to suspicions of infidelity and doubt with this Check Mate Semen Detection Kit. It's the hottest thing on the market today for cheating spouses. The test will detect semen on undergarments or clothing for up to 2 years if they haven't been washed. Get results in less than 5 minutes.

Specifications:

- Detects invisible semen stains
- Accurate results in 5 minutes or less
- Easy-to-use
- 10 Tests in kit

Size:

- Boxed size: 5 5/8" x 4" x 1 1/2"

Model: KT100

Spy Sunglasses

Our Spy Sunglasses are designed for tracking and anti-tracking applications. Instead of following a suspect, the wearer of these sunglasses can keep an eye on things by walking ahead of the target.

Specifications:

- Works like a car rearview mirror
- 100% Protection against ultraviolet rays

Includes:

- Carrying case

Size:

- 5 1/2" x 5 1/4" x 3/4"

Model: SG001





Pistol Air Taser

This Taser uses electro-muscular disruption technology that safely overrides the central nervous system thus neutralizing an assailant's ability to command and control his own body. The Taser delivers a knock-out blow at the speed of light and is a safe choice for self-defense or family protection.

Specifications:

- Auto-Trigger that automatically delivers 5-second energy bursts
- Safety arms/disarms weapon
- Range of 15 feet
- Touch-Stun backup that works with or without cartridge
- 18 Watts power
- 50 KV peak voltage
- Uses 8 AA alkaline or NiMH rechargeable batteries (included)

Includes:

- Storage case
- Target
- User manual
- CD-ROM
- Clip
- Includes 2 air cartridges

Size:

- 5 1/2" x 6 5/8" x 1 3/8"

Model: M-18

Pistol Air Taser with Laser Sight

- Includes 4 Air Cartridges

Size:

- 5 1/2" x 6 5/8" x 1 3/8"

Model: M-18L



Automatic Calling Alarm System

This alarm system can easily be mounted anywhere in a home or office. Its motion sensor finds intruders then automatically sends an alarm to a telephone, beeper or cell phone.

Features:

- Detects any movement with its PIR sensor
- 2 alarm settings:
 - Automatic alert by calling only
 - Automatic alert by calling and audio alarm to startle the intruder
- Sends an alert message to 2 devices simultaneously
- Powered by 3 AA batteries (not included)

Includes:

- Mounting bracket and screws
- Telephone cord and adapter

Size:

- 4 1/2" x 1 3/4" x 2"

Model: KT12000

Hand-Held Personal Metal Detector

This Hand-Held Metal Detector is ideal for any location where security checks are warranted. The unit is sensitive enough to detect metal objects the size of a quarter.

Specifications:

- High-pitched alert
- Can operate on rechargeable nickel-cadmium battery (not included)
- Battery can be recharged in body scanner
- Red LED indicator light
- De-Sense button

Includes:

- Custom carrying case
- 9V battery

Size:

- 16 1/2" x 3" x 9/16"

Model: D1250



Mono Scope

Get a closer look on the next covert mission with our Mono Scope. This compact monocular can go almost anywhere.

Specifications:

- 8 X 21 Focus

Includes:

- Carrying case and lense cleaning pad

Size:

- 3" x 1 1/2" x 1 1/2"

Model: SG-409



Pen Scope

Drop this Pen Scope into a shirt pocket and be ready to get a better view of the action.

Specifications:

- 6X10 Focus

Includes:

- Carrying case

Size:

- 5 5/8" x 5/8" x 5/8"

Model: SG-401



Black Carrying Case

Specifications:

- Store or transport equipment

Size:

- 10 1/4" x 8 1/8" x 3"

Model: E1003



Terms of Service

Return Policy

At Spy Shops of New York we stand behind what we sell. All our products are carefully pre-selected by trained & experienced security professionals and they are guaranteed to perform as specified on our website. Due to the nature of our products some items may be used once and no longer needed, therefore all sales are final.

Defective Merchandise

We will replace or repair all defective products free of charge if there is no evidence of customer misuse, tampering or alteration. It is the buyer's responsibility to return any defective merchandise to be replaced or repaired. We strongly recommend insuring your shipment for the full value of the purchase. Spy Shops of New York is NOT responsible for returned merchandise that is lost or damaged in transit. Repaired or replaced merchandise will generally be returned via Fed Ex or UPS ground or by Postal Courier Services. Expedited shipping methods are available for additional cost to the buyer. The buyer must first contact us by phone (212-686-8890) or email (info@spyshopsinc.com) to obtain the proper return mailing address prior to returning any defective merchandise. All merchandise accepted for return must be in its original packaging, accompanied by an original sales receipt, and must be received by Spy Shops of New York, within 7 business days upon receipt of the merchandise. If the product cannot be repaired or replaced, returns are subject to a restocking charge of 25% of the original invoice. Shipping charges are not refundable. If any item received is damaged, the customer must bring the nature of the problem to our attention within 7 days.

Cancellation Policy

All items ordered online will be processed within 24 hours after receipt. Orders cancelled after they are processed will be subject to a 10% service charge. A 25% restocking fee will be imposed on any order cancelled after it has been processed and shipped. Custom designed and built merchandise, and special ordered products are not subject to cancellation.

Disclaimer Policy

By placing the order, buyer states that he/she is of age and is purchasing item(s) that are in accordance with Federal, State and Local laws in their Country. Buyer also states that he/she is using the items in lawful manner. Spy Shops of New York assumes no liability associated with the usage of the product. The buyer is responsible for any loss, damage or expenses of any kind arising out of the use or misuse of the purchased product. Certain items may be substituted at the discretion of Spy Shops of New York with newer & more advanced products. By placing an order, the buyer acknowledges that he/she has carefully read & studied the above mentioned policies and signifies agreement to all the Terms and Conditions contained therein.